

AN801



TOP & LOWER ATTACHMENT AND TENSIONER SYSTEM

Ref. AN801_



Product specifications

Top attachment (EN795-A), lower attachment and tensioner system in stainless steel with universal anchorage.

Stainless steel.

This KIT is composed of separable elements (AN801UNI + AN801TEN) to secure the anchor line cable on the home structure.

COLOUR

Steel

SIZE

One size

Product Use - Risks



Fall



Construction / Civil engineering
Logistics



Heavy industry



Light industry



Services /



Vertical movement on a permanent structure

Product's highlights & user's benefits



Rectangular attachments
 $L1 \leq 160 \text{ mm}$
 $L2 \leq 94 \text{ mm}$

L-shaped attachments
 $L1 \leq 160 \text{ mm}$
 $L2 \leq 94 \text{ mm}$

T-shaped attachments
 $L1 \leq 160 \text{ mm}$
 $L2 \leq 94 \text{ mm}$

Tubular attachments
 $\varnothing \leq 94 \text{ mm}$

Certifications and Standards

NON PPE: SPECIFIC QUALIFYING CONFORMANCES

EN795:2012 Personal fall protection equipment : Anchorage devices

A (AN801UNI): Anchorage device type A

References

References	Bar code	COLOUR	SIZE		
AN801	3295249182854	Steel	One size	6	-