

ASCORD AN060



ASCORD SLIDING GUIDED FALL ARRESTER ON Ø 14 MM, 1 AM002 KARABINER

Ref. AN060_



Product specifications

Fall arrester sliding on anchorage line stranded rope Ø 14 mm (rope sold separately). Opening type fall arrester equipped with automatic locking, non-inverting device, energy absorber with fall indicator. 1 carabiner AM002.

Stainless steel.

COLOUR

Steel

SIZE

No size

Product Use - Risks



Fall



Construction / Civil engineering



Second work / craftman



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Wind energy



Long vertical movement or movement on inclined surface



Long horizontal movement on

horizontal surface



Long horizontal movement on vertical structure



Movement on lifeline

Product's highlights & user's benefits

Non-inverting device

Energy absorber with fall indicator



AM002

x 1

Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

EN353-2 Personal protection equipment against falls from a height - Part 2 : Guided type fall arresters on a flexible anchor line.

References

References	Bar code	COLOUR	SIZE		
AN060	3660348004039	Steel	No size	5	-