

**AN218CDD**



ENERGY ABSORBER FALL ARRESTER WITH ADJUSTABLE DOUBLE ROPE FROM 1.5 TO 2-M + 2 AM022 + 1 AM002  
Ref. AN218R\_



#### Product specifications

Fall arrester with energy absorber in double braided rope  $\varnothing$  12 mm (Y), adjustable by means of two gear rings on the rope.

Rope: Polyamide.  
Absorber: Polyester.  
Carabiner and hook: Steel.

#### COLOUR

White-Black

#### SIZE

1.50 to 2 m

## Product Use - Risks



Fall



Construction / Civil engineering



Second work / craftman



Light industry



Services / Logistics



Wind energy



Vertical movement on a permanent structure



Short vertical movement or movement

on inclined surface (less than 3 m)



Short horizontal movement (less than 3 m)



Long

movement with multi connection / disconnection



Movement on lifeline

## Product's highlights & user's benefits



AM002

x 1



AM022

x 2

## Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

EN355 Personal fall protection equipment - Energy absorbers.

## References

References	Bar code	COLOUR	SIZE		
AN218RCDD	3295249183226	White-Black	1.50 to 2 m	5	-