

AN420



ANCHORAGE LINE TWISTED ROPE FOR CAMELEON® Ø 10,5 MM - 20 M

Ref. AN420_



Product specifications

Anchorage line on twisted rope Ø 11mm for CAMELEON®. 1 loop sewn thimble. Equipped with an AN006 counterweight and an AM002 connector.

Rope: Polyamide.

Carabiner: Steel.

Counter-weight: Polyurethane.

COLOUR

White

SIZE

20 m

Product Use - Risks



Fall



Agriculture / Green areas



Construction / Civil engineering



Second work /



craftman



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Wind energy

Product's highlights & user's benefits



AM002

x 1

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking



EN353-2 Personal protection equipment against falls from a height - Part 2 : Guided type fall arresters on a flexible anchor line.

EN12841 : 2006 Personal fall protection equipment - Rope access systems - Rope adjustment devices

A: Type A Rope adjusting device - Adjusting device for safety bracket

B: Type B Rope adjusting device - climbing device for work support

References

| References | Bar code | COLOUR | SIZE |  |  |
|------------|---------------|--------|------|---|---|
| AN420 | 3660348004527 | White | 20 m | 5 | - |