

**AN430**



ANCHORAGE LINE TWISTED ROPE FOR CAMELEON® Ø 10,5 MM - 30 M

Ref. AN430\_



#### Product specifications

Anchorage line on twisted rope Ø 11mm for CAMELEON®. 1 loop sewn thimble. Equipped with an AN006 counterweight and an AM002 connector.

Rope: Polyamide.

Carabiner: Steel.

Counter-weight: Polyurethane.

#### COLOUR

White

#### SIZE

30 m

## Product Use - Risks



Fall




Agriculture / Green areas



Construction / Civil engineering



Second work /



craftman Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Wind energy

## Product's highlights & user's benefits



AM002

x 1

## Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking



EN353-2 Personal protection equipment against falls from a height - Part 2 : Guided type fall arresters on a flexible anchor line.

EN12841 : 2006 Personal fall protection equipment - Rope access systems - Rope adjustment devices

A: Type A Rope adjusting device - Adjusting device for safety bracket

B: Type B Rope adjusting device - climbing device for work support

## References

References	Bar code	COLOUR	SIZE		
AN430	3660348004534	White	30 m	5	-