

CT300 S1P SRC



LOW CUT SHOES IN SUEDE SPLIT LEATHER/POLYAMIDE/PU/POLYESTER - S1P SRC

Ref. CT300SP



Product specifications

Upper: Suede split leather, polyamide and PU/polyester, resin toe cap with abrasion resistance. Lining: Polyamide. Insole: Removable - Polyamide on EVA. Outsole: Injected - Dual-density PU. Non-metallic footwear.

COLOUR

Black

SIZE

39, 40, 41, 42, 43, 44, 45, 46, 47

Product Use - Risks



Antistatic



Shock



Cutting / Perforation



Slip



Second work / craftman



Light industry



Services / Logistics

Product's highlights & user's benefits



LIGHT - ULTRA FLEXIBLE



NON-METALLIC



Composite toe cap 200- joule, lighter than steel
Non conductive material



NON-METALLIC
No metallic part in the shoe



Ultra flexible anti-perforation composite insole

Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN ISO 20344:2011 Personal protective equipment - Test methods for footwear

EN ISO 20345:2011 Personal protective equipment - Safety footwear.

S1P: Additional special requirements

SRC: Slip resistance

References

References	Bar code	COLOUR	SIZE		
CT300SPNO39	3295249121051	Black	39	5	-
CT300SPNO40	3295249121068	Black	40	5	-
CT300SPNO41	3295249121075	Black	41	5	-
CT300SPNO42	3295249121082	Black	42	5	-
CT300SPNO43	3295249121099	Black	43	5	-
CT300SPNO44	3295249121105	Black	44	5	-
CT300SPNO45	3295249121112	Black	45	5	-
CT300SPNO46	3295249121129	Black	46	5	-
CT300SPNO47	3295249121136	Black	47	5	-