

ELARA320



"POSITIONNING & SCAFFOLDING" FALL ARRESTER SET: HAR14 + EX021 + AN211200CDD + AM002 + 1 STORAGE BAG

Ref. ELARA320_



Product specifications

POSITIONNING & SCAFFOLDING - ready for use fall arrest kit: 2 fall arrester anchorage point harness (back - front). 2 adjustment loops. 2 adjustable side plates. Positioning belt (Ref. HAR14). Adjustable work positioning lanyard via reducer. Length of 1.1 to 2 m. Stranded rope Ø 12 mm (Ref. EX021). Fall arrester with energy absorber in double stranded rope (Y) Ø 12mm. Length 2 m. 1 AM002 carabiner and 2 AM022 hooks (Ref. AN211200CDD) 2 connectors AM002.

Fall arrest harness: Polyester straps.

Energy absorbing lanyards: Polyester strap, polyamide rope.

Lanyard: Polyamide.

Carabiner and hook: Steel.

COLOUR

Orange

SIZE

S/M/L

Product Use - Risks



Fall



Construction / Civil engineering



Second work / craftman



Heavy industry



Light industry



Wind energy



Short vertical movement or movement on inclined surface (less than 3 m)



Short horizontal

movement (less than 3 m)



Movement on lifeline



Restraint

Product's highlights & user's benefits

Storage bag

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN355 : 2002 Personal fall protection equipment - Energy absorbers.

EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses

EN358 : 1999 Personal fall protection equipment for work positioning and prevention of falls from a height - Belts for work positioning and restraint and work positioning lanyards.



EN362 : 2004 Personal protection equipment against falls from a height - Connectors

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

References	Bar code	COLOUR	SIZE		
ELARA320	3295249182663	Orange	S/M/L	5	-