

HAR22



"RIPLIGHT SYSTEM II®" FALL ARRESTER HARNESS - 2 ANCHORAGE POINTS (BACK/FRONT)

Ref. HAR22_



Product specifications

Elasticated harness with extensible "Riplight System II ®" patented waves. 2 fall arrester anchorage points (back - front). 4 adjustable buckles.

Straps: Polyester.

COLOUR

Black-Orange

SIZE

S/M/L, XL/XXL

Product Use - Risks



Fall



Agriculture / Green areas



Construction / Civil engineering



Second work /



craftman



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Vertical movement on a permanent structure



Long vertical movement or movement on

inclined surface



Short vertical movement or movement on inclined surface (less than 3 m)



Vertical movement, confined space



Long horizontal movement on horizontal surface



Long horizontal movement on vertical structure



Short horizontal movement (less than 3 m)



Long movement with multi connection /disconnection



Movement on lifeline

Product's highlights & user's benefits



"Riplight System II®"



Fall indicator

Certifications and Standards



PPE DIRECTIVE 89/686/EEC



EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses
150 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

References	Bar code	COLOUR	SIZE		
HAR22GT	3295249182670	Black-Orange	S/M/L	5	-
HAR22XX	3295249193676	Black-Orange	XL/XXL	5	-