

HAR23GIL



"RIPLIGHT SYSTEM II®" FALL ARRESTER HARNESS WITH VEST - 3 ANCHORAGE POINTS

Ref. HAR23GIL_



Product specifications

Extensible harness with work vest not removable: Harness (Ref. HAR23). Vest: Polyester and Oxford polyamide. Polyester mesh lining. Zip closure. 2 zip pockets. Retro-reflective pipings. Adjustable size by elastic cords.

Straps: Polyester.

Vest: Polyester, Cordura® and 3D knitting.

COLOUR

Black

SIZE

S/M/L, XL/XXL

Product Use - Risks



Fall



Agriculture / Green areas



Construction / Civil engineering



Second work /



craftman



Heavy industry



Light industry



Services / Logistics



Oil / Gas



Mining



Vertical movement on a permanent structure



Long vertical movement or movement on

inclined surface



Short vertical movement or movement on inclined surface (less than 3 m)



Vertical movement, confined space



Long horizontal movement on horizontal surface



Long horizontal movement on vertical structure



Short horizontal movement (less than 3 m)



Long movement with multi connection /disconnection



Movement on lifeline

Product's highlights & user's benefits



"Riplight System II®"



Fall indicator

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN340:2003 General requirements



EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses
150 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

References	Bar code	COLOUR	SIZE		
HAR23GILNOGT	3295249181376	Black	S/M/L	5	-
HAR23GILNOXX	3295249193607	Black	XL/XXL	5	-