

EOLIEN HAR35



FALL ARRESTER HARNESS WITH BELT - 5 ANCHORAGE POINTS

Ref. HAR35_



Product specifications

Two colour harness with positioning belt. 3 fall arrester attachment points (back- front right side - front left side). 4 adjustable buckles in light alloy. 2 automatic buckles. Positioning belt with thermoformed back closed with wide Velcro for more comfort. 120° rotation. 2 lateral anchorage points. 1 adjustment loop. Sponge back lining.

Straps: Polyester.
Belt: Sponge lining.

COLOUR
Black-Orange

SIZE
S/M/L, XL/XXL

Product Use - Risks



Fall



Agriculture / Green areas



Construction / Civil engineering



Heavy industry



Services / Logistics



Oil / Gas



Mining



Wind energy



Vertical movement on a permanent structure



Long vertical movement or movement on

inclined surface



Long vertical movement or movement on inclined surface for rope access work



Short vertical movement or movement on inclined surface (less than 3 m)



Long horizontal

movement on horizontal surface



Long horizontal movement on vertical structure



Short

horizontal movement (less than 3 m)



Long movement with multi connection /disconnection



Movement on lifeline



Restraint



Work positioning

Product's highlights & user's benefits



Soft padding on the shoulders and straps on the legs
Removable back protector



Fall indicator



Rotation 120°
2 accessory attachment holders incorporated into the belt



Pocket for phone or fall detector carrier

Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN361 : 2002 Personal protection equipment against falls from a height - Full body harnesses

150 kg: Additional special requirements

EN358 : 1999 Personal fall protection equipment for work positioning and prevention of falls from a height - Belts for work positioning and restraint and work positioning lanyards.



150 kg: Additional special requirements

EN363 : 2008 Personal fall protection equipment - Personal fall protection systems

EN364 : 1992 Personal fall protection equipment : Test method

EN365 : 2004 General requirements for the instructions for use and the marking

References

References	Bar code	COLOUR	SIZE		
HAR35GT	3295249181475	Black-Orange	S/M/L	5	-
HAR35XX	3295249181482	Black-Orange	XL/XXL	5	-