


VE440



NATURAL LATEX GLOVE ON COTTON FLOCK LINING

Ref. VE440



#### Product specifications

Latex with cotton flock lining. Length: 32 cm. Thickness: 0,55 mm.

100% Natural latex  
Cotton flock lining

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (A: methanol = 2, B: Acetone = 2, K: Sodium hydroxyde 40% (NaOH) = 4, hydrochloric acid (10%) = 6).

#### COLOUR

Blue

#### SIZE

6/7, 7/8, 8/9, 9/10

#### Product Use - Risks



Biological chemical particles



Construction / Civil engineering  
Hygiene environment



Heavy industry



Services / Logistics



## Product's highlights & user's benefits

### Flocked lining:

- Absorbs perspiration
- Comfort

### Rough structure:

- Excellent grip



## Certifications and Standards



PPE DIRECTIVE 89/686/EEC

### EN420:2003 General requirements

- 5: Dexterity (from 1 to 5)



### EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

- 1: Resistance to abrasion (from 1 to 4)
- 0: Resistance to cutting (from 1 to 5)
- 2: Resistance to tear (from 1 to 4)
- 0: Resistance to puncture (1 to 4)



### EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals

- ABK: Resistant gloves to permeation by chemicals, tested according to EN374-3
- 2 >30 mn: Méthanol (A) CAS 67-56-1
- 2 > 30 mn: Acetone (B) CAS 67-64-1
- 4 > 120 mn: Caustic soda 40% (K) CAS 1310-73-2





REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

### GLOB MIGR Food contact - Overall Migration

- ∴ Contact with wet or watery food
- ∴ Contact with acidic foods
- ∴ Contatto con derrate alcoliche

## References

References	Bar code	COLOUR	SIZE		
VE440BL06	3295249046828	Blue	6/7	144	12
VE440BL07	3295249046835	Blue	7/8	144	12
VE440BL08	3295249046842	Blue	8/9	144	12
VE440BL09	3295249046859	Blue	9/10	144	12