

NEOCOLOR VE530



NEOPRENE LATEX GLOVE 30CM

Ref. VE530



Product specifications

Latex/Neoprene mix with cotton flocklining. Length: 30 cm. Thickness: 0,70 mm.

100% neoprene and latex, navy blue shade.

100% cotton flock lining

COLOUR

Black

SIZE

6/7, 7/8, 8/9, 9/10, 10/11

Product Use - Risks



Biological chemical particles



Wearing



Construction / Civil engineering



Heavy industry



Light industry

Product's highlights & user's benefits

Neoprene / Latex mix :
• Good flexibility

Flocked lining :
• Absorbs perspiration
• Comfort



Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN420:2003+A1:2009 General requirements

5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

3: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)



EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3:

Determination of resistance to permeation by chemicals

AKL: Resistant gloves to permeation by chemicals, tested according to EN374-3

2 > 30 mn: Méthanol (A) CAS 67-56-1

6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

4 > 120 mn: Sulphuric acid 96 % (L) CAS 7664-93-9



REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

GLOB MIGR Food contact - Overall Migration

∴ Contact with wet or watery food

∴ Contact with acidic foods

References

References	Bar code	COLOUR	SIZE		
VE530BM06	3295249009656	Black	6/7	120	12
VE530BM07	3295249009663	Black	7/8	120	12
VE530BM08	3295249009670	Black	8/9	120	12
VE530BM09	3295249009687	Black	9/10	120	12
VE530BM10	3295249009694	Black	10/11	120	12