

NITREX VE803



NITRILE GLOVE - LENGTH 33 CM

Ref. VE803



Product specifications

Nitrile on interlock cotton lining. Length: 33 cm. Thickness: 0,85 mm.

Interlock cotton lining.

Coating : 100% nitrile (NBR: latex acrylonitrile butadiene).

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (K : Sodium hydroxyde 40% (NaOH) = 6, L: sulphuric acid (96%) =3, J : n-Heptane = 6).

COLOUR

Green

SIZE

9/10, 10/11

Product Use - Risks



Biological chemical particles



Wearing



Construction / Civil engineering



Heavy industry



Oil / Gas



Mining

Product's highlights & user's benefits



Cotton lining :

- Better mechanical protection
- Better comfort all day



Anti-slip grained-texture

Maximum abrasion resistance
Suppleness

Sweat and moisture absorption



Certifications and Standards



PPE DIRECTIVE 89/686/EEC

EN420:2003 General requirements

5: Dexterity (from 1 to 5)



EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

0: Resistance to cutting (from 1 to 5)

1: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)



EN374-2:2003 Protective gloves against chemicals and micro-organisms - Part 2: Determination of resistance to penetration



EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals



J K L: Resistant gloves to permeation by chemicals, tested according to EN374-3

6 > 480 mn: n-Heptane (J) CAS 142-85-5

6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

3 > 60 mn: Sulphuric acid 96 % (L) CAS 7664-93-9

References

References	Bar code	COLOUR	SIZE		
VE803VE09	3295249187699	Green	9/10	60	12
VE803VE10	3295249187705	Green	10/11	60	12