


## VENIZETTE VE920



LATEX ON INTERLOCK COTTON LINING GLOVE - LENGTH: 30 CM

Ref. VE920



### Product specifications

Latex on interlock cotton lining. Length: 30 cm. Thickness: 1,25 mm.

Support : interlock cotton.

Coating : natural latex

Tested according to EN374-3:2003 determination of permeation resistance, levels of permeation from 1 to 6 (A : Methanol = 2, K : Sodium hydroxyde 40% (NaOH) = 6, L: Sulphuric Acid 96% = 6, sodium hydroxide (20%) = 6, Hydrochloric acid 10% = 6, Formaldehyde 37% = 6, acetic acid 25% = 6).

#### COLOUR

Blue

#### SIZE

6/7, 7/8, 8/9, 9/10, 10/11

### Product Use - Risks



Heat



Biological chemical particles



Wearing



Construction / Civil engineering



Heavy industry



Oil / Gas



Mining

## Product's highlights & user's benefits



Cotton lining :

- Better mechanical and thermal protection
- Better comfort

Maximum abrasion resistance  
Suppleness



## Certifications and Standards



### PPE DIRECTIVE 89/686/EEC

#### EN420:2003 General requirements

5: Dexterity (from 1 to 5)



#### EN388:2003 Protective gloves against mechanical Risks (Levels obtained on the palm)

4: Resistance to abrasion (from 1 to 4)

1: Resistance to cutting (from 1 to 5)

2: Resistance to tear (from 1 to 4)

1: Resistance to puncture (1 to 4)



#### EN374-3:2003 Protective gloves against chemicals and micro-organisms - Part 3: Determination of resistance to permeation by chemicals

AKL: Resistant gloves to permeation by chemicals, tested according to EN374-3

2 > 30 mn: Méthanol (A) CAS 67-56-1

6 > 480 mn: Caustic soda 40% (K) CAS 1310-73-2

6 > 480 mn: Sulphuric acid 96 % (L) CAS 7664-93-9



#### EN407:2004 Protective gloves against Heat & Fire risks (X = Unrealized test)

X: Resistance to flammability (from 1 to 4)

1: Resistance to contact heat (from 1 to 4)

X: Resistance to convective heat (from 1 to 4)

X: Resistance to radiant heat (from 1 to 4)

X: Resistance to small projections of liquid metal (from 1 to 4)

X: Resistance to large projections of molten metal (from 1 to 4)




### REGULATION (EU) 1935/2004 CONTACT WITH FOOD PRODUCTS

#### GLOBAL MIGR Food contact - Overall Migration

∴ Contact with any type of food

References

| References | Bar code      | COLOUR | SIZE  |  |  |
|------------|---------------|--------|-------|---|---|
| VE920BL06  | 3295249008734 | Blue   | 6/7   | 120   | 12  |
| VE920BL07  | 3295249008741 | Blue   | 7/8   | 120   | 12  |
| VE920BL08  | 3295249008758 | Blue   | 8/9   | 120   | 12  |
| VE920BL09  | 3295249008765 | Blue   | 9/10  | 120   | 12  |
| VE920BL10  | 3295249008772 | Blue   | 10/11 | 120   | 12  |